



Chengdu Amoeba Magnetic Co.,Ltd (Sendust core)

CSC	磁导率Perm	电感系数	外径O.D.	内径I.D.	高度Ht	Magnetic Inc.	ARNOLD	DONGBU
P/N No.		Al (mH)	(英寸/mm)	(英寸/mm)	(英寸/mm)	P/N No.	P/N No.	P/N No.
	60	13	0.140/3.56	0.070/1.78	0.060/1.52	77141-A7	MS-014060-8	S014-013A
CS035075	75	16	0.140/3.56	0.070/1.78	0.060/1.52	77445-A7	MS-014075-8	S014-016A
CS035090	90	19	0.140/3.56	0.070/1.78	0.060/1.52	77444-A7	MS-014090-8	S014-019A
CS035125	125	26	0.140/3.56	0.070/1.78	0.060/1.52	77140-A7	MS-014125-8	S014-026A
CS039060	60	17	0.155/3.94	0.087/2.21	0.100/2.54	77151-AY	MS-015060-8	S015-017A
CS039075	75	21	0.155/3.94	0.087/2.21	0.100/2.54	77155-AY	MS-015075-8	S015-021A
CS039090	90	25	0.155/3.94	0.087/2.21	0.100/2.54	77154-AY	MS-015090-8	S015-025A
CS039125	125	35	0.155/3.94	0.087/2.21	0.100/2.54	77150-AY	MS-015125-8	S015-035A
CS046060	60	20	0.183/4.65	0.093/2.36	0.100/2.54	77181-AY	MS-018060-8	S018-020A
CS046075	75	25	0.183/4.65	0.093/2.36	0.100/2.54	77185-AY	MS-018075-8	S018-025A
CS046090	90	30	0.183/4.65	0.093/2.36	0.100/2.54	77184-AY	MS-018090-8	S018-030A
CS046125	125	42	0.183/4.65	0.093/2.36	0.100/2.54	77180-AY	MS-018125-8	S018-042A
CS063060	60	24	0.250/6.35	0.110/2.79	0.110/2.79	77021-A7	MS-025060-8	S025-024A
CS063075	75	30	0.250/6.35	0.110/2.79	0.110/2.79	77825-A7	MS-025075-8	S025-030A
CS063090	90	36	0.250/6.35	0.110/2.79	0.110/2.79	77824-A7	MS-025090-8	S025-036A
CS063125	125	52	0.250/6.35	0.110/2.79	0.110/2.79	77020-A7	MS-025125-8	S025-050A
CS066060	60	26	0.260/6.60	0.105/2.67	0.100/2.54	77241-A7	MS-027060-8	
CS066075	75	32	0.260/6.60	0.105/2.67	0.100/2.54	77245-A7	MS-027075-8	
CS066090	90	39	0.260/6.60	0.105/2.67	0.100/2.54	77244-A7	MS-027090-8	
CS066125	125	54	0.260/6.60	0.105/2.67	0.100/2.54	77240-A7	MS-027125-8	
CS067060	60	50	0.260/6.60	0.105/2.67	0.188/4.78	77271-A7	MS-026060-8	S026-050A
CS067075	75	62	0.260/6.60	0.105/2.67	0.188/4.78	77875-A7	MS-026075-8	S026-062A
CS067090	90	74	0.260/6.60	0.105/2.67	0.188/4.78	77874-A7	MS-026090-8	S026-074A
CS067125	125	103	0.260/6.60	0.105/2.67	0.188/4.78	77270-A7	MS-026125-8	S026-103A
CS068060	60	33	0.277/7.04	0.156/3.96	0.200/5.08	77411-A7**	MS-028060-8	
CS068075	75	42	0.277/7.04	0.156/3.96	0.200/5.08	77415-A7**	MS-028075-8	
CS068090	90	50	0.277/7.04	0.156/3.96	0.200/5.08	77414-A7**	MS-028090-8	
CS068125	125	70	0.277/7.04	0.156/3.96	0.200/5.08	77410-A7**	MS-028125-8	
CS078060	60	25	0.310/7.87	0.156/3.96	0.125/3.18	77031-A7	MS-031060-8	S031-025A
CS078075	75	31	0.310/7.87	0.156/3.96	0.125/3.18	77835-A7	MS-031075-8	S031-031A
CS078090	90	37	0.310/7.87	0.156/3.96	0.125/3.18	77834-A7	MS-031090-8	S031-037A
CS078125	125	52	0.310/7.87	0.156/3.96	0.125/3.18	77030-A7	MS-031125-8	S031-052A
CS096060	60	25	0.380/9.65	0.188/4.78	0.125/3.18	77281-A7	MS-039060-8	S038-025A
CS096075	75	32	0.380/9.65	0.188/4.78	0.125/3.18	77885-A7	MS-039075-8	S038-032A



Chengdu Amoeba Magnetic Co.,Ltd (Sendust core)

CS096090	90	38	0.380/9.65	0.188/4.78	0.125/3.18	77884-A7	MS-039090-8	S038-038A
CS096125	125	53	0.380/9.65	0.188/4.78	0.125/3.18	77280-A7	MS-039125-8	S038-053A
CS097060	60	32	0.380/9.65	0.188/4.78	0.156/3.96	77291-A7	MS-038060-8	
CS097075	75	40	0.380/9.65	0.188/4.78	0.156/3.96	77295-A7	MS-038075-8	
CS097090	90	48	0.380/9.65	0.188/4.78	0.156/3.96	77294-A7	MS-038090-8	
CS097125	125	66	0.380/9.65	0.188/4.78	0.156/3.96	77290-A7	MS-038125-8	
CS102060	60	32	0.400/10.16	0.200/5.08	0.156/3.96	77041-A7	MS-040060-2	S040-032A
CS102075	75	40	0.400/10.16	0.200/5.08	0.156/3.96	77845-A7	MS-040075-2	S040-040A
CS102090	90	48	0.400/10.16	0.200/5.08	0.156/3.96	77844-A7	MS-040090-2	S040-048A
CS102125	125	66	0.400/10.16	0.200/5.08	0.156/3.96	77040-A7	MS-040125-2	S040-066A
CS112060	60	26	0.440/11.18	0.250/6.35	0.156/3.96	77131-A7	MS-044060-2	S044-026A
CS112075	75	32	0.440/11.18	0.250/6.35	0.156/3.96	77335-A7	MS-044075-2	S044-032A
CS112090	90	38	0.440/11.18	0.250/6.35	0.156/3.96	77334-A7	MS-044090-2	S044-038A
CS112125	125	53	0.440/11.18	0.250/6.35	0.156/3.96	77130-A7	MS-044125-2	S044-153A
CS127060	60	27	0.500/12.70	0.300/7.62	0.187/4.75	77051-A7	MS-050060-2	S050-027A
CS127075	75	34	0.500/12.70	0.300/7.62	0.187/4.75	77055-A7	MS-050075-2	S050-034A
CS127090	90	40	0.500/12.70	0.300/7.62	0.187/4.75	77054-A7	MS-050090-2	S050-040A
CS127125	125	56	0.500/12.70	0.300/7.62	0.187/4.75	77050-A7	MS-050125-2	S050-056A
CS166060	60	36	0.655/16.64	0.400/10.16	0.250/6.35	77121-A7	MS-065060-2	S065-035A
CS166075	75	43	0.655/16.64	0.400/10.16	0.250/6.35	77225-A7	MS-065075-2	S065-043A
CS166090	90	52	0.655/16.64	0.400/10.16	0.250/6.35	77224-A7	MS-065090-2	S065-052A
CS166125	125	72	0.655/16.64	0.400/10.16	0.250/6.35	77120-A7	MS-065125-2	S065-072A
CS172060	60	43	0.680/17.27	0.380/9.65	0.250/6.35	77381-A7	MS-068060-2	S068-043A
CS172075	75	53	0.680/17.27	0.380/9.65	0.250/6.35	77385-A7	MS-068075-2	S068-053A
CS172090	90	64	0.680/17.27	0.380/9.65	0.250/6.35	77384-A7	MS-068090-2	S068-064A
CS172125	125	89	0.680/17.27	0.380/9.65	0.250/6.35	77380-A7	MS-068125-2	S068-089A
CS203060	60	32	0.800/20.32	0.500/12.70	0.250/6.35	77848-A7	MS-080060-2	S080-032A
CS203075	75	41	0.800/20.32	0.500/12.70	0.250/6.35	77210-A7	MS-080075-2	S080-041A
CS203090	90	49	0.800/20.32	0.500/12.70	0.250/6.35	77211-A7	MS-080090-2	S080-049A
CS203125	125	68	0.800/20.32	0.500/12.70	0.250/6.35	77206-A7	MS-080125-2	S080-068A
CS229026	26	19	0.900/22.86	0.550/13.97	0.300/7.62	77312-A7	MS-090026-2	S090-019A
CS229060	60	43	0.900/22.86	0.550/13.97	0.300/7.62	77059-A7	MS-090060-2	S090-043A
CS229075	75	54	0.900/22.86	0.550/13.97	0.300/7.62	77315-A7	MS-090075-2	S090-054A
CS229090	90	65	0.900/22.86	0.550/13.97	0.300/7.62	77314-A7	MS-090090-2	S090-065A
CS229125	125	90	0.900/22.86	0.550/13.97	0.300/7.62	77310-A7	MS-090125-2	S090-090A
CS2340926	26	22	0.928/23.57	0.567/14.40	0.350/8.89	77352-A7	MS-092026-2	S092-022A



Chengdu Amoeba Magnetic Co.,Ltd (Sendust core)

CS234060	60	51	0.928/23.57	0.567/14.40	0.350/8.89	77351-A7	MS-092060-2	S092-051A
CS234075	75	63	0.928/23.57	0.567/14.40	0.350/8.89	77355-A7	MS-092075-2	S092-063A
CS234090	90	76	0.928/23.57	0.567/14.40	0.350/8.89	77354-A7	MS-092090-2	S092-076A
CS234125	125	105	0.928/23.57	0.567/14.40	0.350/8.89	77350-A7	MS-092125-2	S092-105A
CS270026	26	32	1.060/26.92	0.580/14.73	0.440/11.18	77932-A7	MS-106026-2	S106-032A
CS270060	60	75	1.060/26.92	0.580/14.73	0.440/11.18	77894-A7	MS-106060-2	S106-075A
CS270075	75	94	1.060/26.92	0.580/14.73	0.440/11.18	77935-A7	MS-106075-2	S106-094A
CS270090	90	113	1.060/26.92	0.580/14.73	0.440/11.18	77934-A7	MS-106090-2	S106-113A
CS270125	125	157	1.060/26.92	0.580/14.73	0.440/11.18	77930-A7	MS-106125-2	S106-157A
CS330026	26	28	1.300/33.02	0.785/19.94	0.420/10.67	77550-A7	MS-130026-2	S130-028A
CS330060	60	61	1.300/33.02	0.785/19.94	0.420/10.67	77071-A7	MS-130060-2	S130-061A
CS330075	75	76	1.300/33.02	0.785/19.94	0.420/10.67	77553-A7	MS-130075-2	S130-076A
CS330090	90	91	1.300/33.02	0.785/19.94	0.420/10.67	77552-A7	MS-130090-2	S130-091A
CS330125	125	127	1.300/33.02	0.785/19.94	0.420/10.67	77548-A7	MS-130125-2	S130-127A
CS343026	26	16	1.350/34.29	0.920/23.37	0.350/8.89	77587-A7	MS-135026-2	S135-016A
CS343060	60	38	1.350/34.29	0.920/23.37	0.350/8.89	77586-A7	MS-135060-2	S135-038A
CS343075	75	47	1.350/34.29	0.920/23.37	0.350/8.89	77590-A7	MS-135075-2	S135-047A
CS343090	90	56	1.350/34.29	0.920/23.37	0.350/8.89	77589-A7	MS-135090-2	S135-056A
CS343125	125	79	1.350/34.29	0.920/23.37	0.350/8.89	77585-A7	MS-135125-2	S135-079A
CS358060	60	56	1.410/35.81	0.880/22.35	0.412/10.46	77076-A7	MS-141060-2	S141-056A
CS358075	75	70.2	1.410/35.81	0.880/22.35	0.412/10.46	77329-A7	MS-141075-2	S141-070A
CS358090	90	84.3	1.410/35.81	0.880/22.35	0.412/10.46	77328-A7	MS-141090-2	S141-084A
CS358125	125	117	1.410/35.81	0.880/22.35	0.412/10.46	77324-A7	MS-141125-2	S141-117A
CS400026	26	35	1.570/39.88	0.950/24.13	0.570/14.48	77256-A7	MS-157026-2	S157-035A
CS400060	60	81	1.570/39.88	0.950/24.13	0.570/14.48	77083-A7	MS-157060-2	S157-081A
CS400075	75	101	1.570/39.88	0.950/24.13	0.570/14.48	77259-A7	MS-157075-2	S157-101A
CS400090	90	121	1.570/39.88	0.950/24.13	0.570/14.48	77258-A7	MS-157090-2	S157-121A
CS400125	125	168	1.570/39.88	0.950/24.13	0.570/14.48	77254-A7	MS-157125-2	S157-168A
CS467026	26	59	1.840/46.74	0.950/24.13	0.710/18.03	77440-A7	MS-184026-2	S184-059A
CS467060	60	135	1.840/46.74	0.950/24.13	0.710/18.03	77439-A7	MS-184060-2	S184-135A
CS467075	75	169	1.840/46.74	0.950/24.13	0.710/18.03	77443-A7	MS-184075-2	S184-169A
CS467090	90	202	1.840/46.74	0.950/24.13	0.710/18.03	77442-A7	MS-184090-2	S184-202A
CS467125	125	281	1.840/46.74	0.950/24.13	0.710/18.03	77438-A7	MS-184125-2	S184-281A
CS468026	26	37	1.840/46.74	1.130/28.70	0.600/15.24	77091-A7	MS-185026-2	S184-037A
CS468060	60	86	1.840/46.74	1.130/28.70	0.600/15.24	77090-A7	MS-185060-2	S184-086A
CS468075	75	107	1.840/46.74	1.130/28.70	0.600/15.24	77094-A7	MS-185075-2	S184-107A
CS468090	90	128	1.840/46.74	1.130/28.70	0.600/15.24	77093-A7	MS-185090-2	S184-128A
CS468125	125	178	1.840/46.74	1.130/28.70	0.600/15.24	77089-A7	MS-185125-2	S184-178A



Chengdu Amoeba Magnetic Co.,Ltd (Sendust core)

CS508026	26	32	2.000/50.80	1.250/31.75	0.530/13.46	77717-A7	MS-200026-2	S200-032A
CS508060	60	73	2.000/50.80	1.250/31.75	0.530/13.46	77716-A7	MS-200060-2	S200-073A
CS508075	75	91.2	2.000/50.80	1.250/31.75	0.530/13.46	77720-A7	MS-200075-2	S200-091A
CS508090	90	109	2.000/50.80	1.250/31.75	0.530/13.46	77719-A7	MS-200090-2	S200-109A
CS508125	125	152	2.000/50.80	1.250/31.75	0.530/13.46	77715-A7	MS-200125-2	S200-152A
CS571026	26	60	2.250/57.15	1.039/26.39	0.600/15.24	77191-A7	MS-226026-2	
CS571060	60	138	2.250/57.15	1.039/26.39	0.600/15.24	77192-AY	MS-226060-2	
CS571075	75	172	2.250/57.15	1.039/26.39	0.600/15.24	77193-A7	MS-226075-2	
CS571090	90	207	2.250/57.15	1.039/26.39	0.600/15.24	77194-A7	MS-226090-2	
CS571125	125	287	2.250/57.15	1.039/26.39	0.600/15.24	77195-A7	MS-226125-2	
CS572026	26	33	2.250/57.15	1.400/35.56	0.550/13.97	77111-A7	MS-225026-2	S225-033A
CS572060	60	75	2.250/57.15	1.400/35.56	0.550/13.97	77110-A7	MS-225060-2	S225-075A
CS572075	75	93.6	2.250/57.15	1.400/35.56	0.550/13.97	77214-A7	MS-225075-2	S225-094A
CS572090	90	112	2.250/57.15	1.400/35.56	0.550/13.97	77213-A7	MS-225090-2	S225-112A
CS572125	125	156	2.250/57.15	1.400/35.56	0.550/13.97	77109-A7	MS-225125-2	S225-156A
CS777026	26	30	3.063/77.80	1.938/49.23	0.500/12.7	77908-A7	MS-300026-2	